^{for Linux} Release Notes





Service release: 12.16 r48658 Date: April 2021

Prerequisites

Linux Distributions:

The following Linux distributions are supported with this release:

- Debian GNU/Linux 10.9
- Red Hat Enterprise Linux Release 8.3

Update Prerequisites

Please read the instructions for updates of previous versions in the manual carefully.

The following versions are required for the use of other NCP components

- Secure Enterprise Management Server version 5.30 or higher
- Management Console version 5.30 or higher
- Management Plug-in Server Configuration Version 12.13 or higher
- Management Plug-in License Management Version 12.01 or higher
- Secure Enterprise HA Server version 12.12 or higher

1. New Features and Enhancements

As of this release, SSL VPN can no longer be used

As of this release, SSL VPN, i.e. the web proxy, thin client and fat client functionalities contained therein, can no longer be executed or used. In the next major release 13.0, the SSL VPN configuration will be removed from the configuration.

2. Improvements / Problems Resolved

Crash of the NCP Secure Enterprise VPN Server

If special data packets were sent to the HTTPS port of the NCP Secure Enterprise VPN Server, this led to a crash of the integrated web server in the area of the SSL VPN functionality and thus to the termination of all other services that were running. This problem was solved by deactivating the integrated web server and thus SSL VPN.

^{for Linux} Release Notes





Problem with registering client IP addresses in the DNS system

If the NCP Secure Enterprise VPN Server is operated in NAT mode, the PTR record in the DNS system is not set correctly. This problem has been resolved.

Bugfix in OpenSSL library regarding [CVE-2020-1971]

The OpenSSL library used was vulnerable to the security hole [CVE-2020-1971]. This occurred in the area of certificate checking via CRL. However, both the certificate and the CRL had to be compromised for this. This problem has been resolved.

Crash after changing the IP address of the virtual adapter

Under certain circumstances the NCP Secure Enterprise VPN Server crashed after changing the IP address of the virtual adapter. This problem has been resolved.

Troubleshooting in the area of SNMP

The SNMP query of link profiles or RADIUS links was incorrect. This problem has been resolved.

Crash when transferring large amounts of data via LTE

With the ARM variant of the NCP Secure Enterprise VPN Server, a crash occurred under certain circumstances if the data was sent to the central VPN gateway via an LTE link. This problem has been resolved.

3. Known Issues

Configuration Transfer when Updating from Old Product Versions

The direct update of an old NCP Secure Enterprise VPN Server installation with version 7.x or older is not supported. In this case, an update to version 11 of the NCP Secure Enterprise VPN Server must be performed beforehand.

Web Interface and Microsoft Edge

When using the Microsoft Edge web browser, at least EdgeHTML 18.17763 is required.

^{for Linux} Release Notes





Service release:12.15 r48383Date:October 2020

Prerequisites

Linux Distributions:

The following Linux distributions are supported with this release:

- Debian GNU/Linux 10.6
- Red Hat Enterprise Linux Release 8.2

Update Prerequisites

Please read the instructions for updates of previous versions in the manual carefully.

The following versions are required for the use of other NCP components

- Secure Enterprise Management Server version 5.30 or higher
- Management Console version 5.30 or higher
- Management Plug-in Server Configuration Version 12.13 or higher
- Management Plug-in License Management Version 12.01 or higher
- Secure Enterprise HA Server version 12.12 or higher

1. New Features and Enhancements

None.

2. Improvements / Problems Resolved

IP-NAT functionality

If the IP-NAT functionality for converting the VPN client IP addresses is activated, this function fails from kernel version 4.18.0-193.el8, e.g. included in RHEL 8.2. This problem has been fixed.

Compatibility with macmon NAC

A problem in RADIUS communication with macmon NAC has been fixed.

Routing Information Protocol (RIP) advertisements

A problem has been fixed that, under certain conditions, incorrect RIP advertisements were sent out for VLAN forwarding.

for Linux Release Notes





Gateway - gateway communication

In the case of VPN connections to gateways from other manufacturers, connection interruptions have occurred sporadically. This bug has been fixed.

3. Known Issues

Configuration Transfer when Updating from Old Product Versions

The direct update of an old NCP Secure Enterprise VPN Server installation with version 7.x or older is not supported. In this case, an update to version 11 of the NCP Secure Enterprise VPN Server must be performed beforehand.

Web Interface and Microsoft Edge

When using the Microsoft Edge web browser, at least EdgeHTML 18.17763 is required.

^{for Linux} Release Notes





Service release: 12.13 r47679 Date: June 2020

Prerequisites

Linux Distributions:

The following Linux distributions are supported with this release:

- Debian GNU/Linux 10.3
- Red Hat Enterprise Linux Release 8.1

Update Prerequisites

Please read the instructions for updates of previous versions in the manual carefully.

The following versions are required for the use of other NCP components

- Secure Enterprise Management Server version 5.30 or higher
- Management Console version 5.30 or higher
- Management Plug-in Server Configuration Version 12.13 or higher
- Management Plug-in License Management Version 12.01
- Secure Enterprise HA Server version 12.12 or higher

1. New Features and Enhancements

Compatibility with macmon NAC

With the transmission of the client's local MAC address via the RADIUS attribute "NAS port type", this can be evaluated in macmon NAC.

4. Improvements / Problems Resolved

Error IPNAT – No Free Dynamic Ports

If NAT is activated, the virtual IP addresses of the VPN clients are converted to the IP address of the gateway. The previous limit of 10,000 dynamic ports for managing the connected VPN clients has been increased to 30,000 dynamic ports.

Stability improvements of the ncpwsupd service as well as in the area of VPN Path Finder

for Linux Release Notes





5. Known Issues

Configuration Transfer when Updating from Old Product Versions

The direct update of an old NCP Secure Enterprise VPN Server installation with version 7.x or older is not supported. In this case, an update to version 11 of the NCP Secure Enterprise VPN Server must be performed beforehand.

Web Interface and Microsoft Edge

When using the Microsoft Edge web browser, at least EdgeHTML 18.17763 is required.

^{for Linux} Release Notes





Service release: 12.12 r46805 Date: January 2020

Prerequisites

Linux Distributions:

The following Linux distributions are supported with this release:

- Debian GNU/Linux 10.1 / 10.2
- Red Hat Enterprise Linux Release 8.1

Update Prerequisites

Please read the instructions for updates of previous versions in the manual carefully.

The following versions are required for the use of other NCP components

- Secure Enterprise Management Server version 5.20 or higher
- Management Console version 5.20 or higher
- Management Plug-in Server Configuration Version 12.12 or higher
- Management Plug-in License Management Version 11.30
- Secure Enterprise HA Server version 12.10 or higher

1. New Features and Enhancements

None.

6. Improvements / Problems Resolved

Fixed issue with configured Routing tables and NAT

Configured static routes were not applied correctly.

This issue has been resolved.

for Linux Release Notes





7. Known Issues

Configuration Transfer when Updating from Old Product Versions

The direct update of an old NCP Secure Enterprise VPN Server installation with version 7.x or older is not supported. In this case, an update to version 11 of the NCP Secure Enterprise VPN Server must be performed beforehand.

Web Interface and Microsoft Edge

When using the Microsoft Edge web browser, at least EdgeHTML 18.17763 is required.

^{for Linux} Release Notes





Service release:12.11 r46572Date:December 2019

Prerequisites

Linux Distributions:

The following Linux distributions are supported with this release:

- Debian GNU/Linux 10.1
- Red Hat Enterprise Linux Release 8.1

Update Prerequisites

Please read the instructions for updates of previous versions in the manual carefully.

The following versions are required for the use of other NCP components

- Secure Enterprise Management Server version 5.20 or higher
- Management Console version 5.20 or higher
- Management Plug-in Server Configuration Version 12.12 or higher
- Management Plug-in License Management Version 11.30
- Secure Enterprise HA Server version 12.10 or higher

1. New Features and Enhancements

None.

8. Improvements / Problems Resolved

Domain Suffix Search Order can be Configured Again

Name of Secure Server Adapter could be Changed in Web Interface

Changing the name of the "Secure Server Adapter" is not supported. Therefore, it is no longer possible to rename this adapter in the Web interface in this release.

Improved Stability of ncpwebd Web Service

Switching VRRP by the Application led to Duplicate VRRP Master

When switching the VRRP master to the backup gateway, the IP addresses used by the previous primary gateway were not released. This issue has been resolved.

Configuration of IPsec Selectors Resolved

Next Generation Network Access Technology

Americas: NCP engineering, Inc. • 678 Georgia Ave. • Sunnyvale, CA 94085 • Phone: +1 (650) 316-6273 • www.ncp-e.com Deutschland: NCP engineering GmbH • Dombühler Str. 2 • 90449 Nürnberg • Fon +49 911 9968-0 • Fax +49 911 9968-299

for Linux Release Notes





Optimization to Start Sequence of the NCP services

Optimization to Accounting Data

Some attribute values were stored in HEX format for the accounting data. The format has been changed to ASCII.

Tracelog Could not be Written

After activating the trace log, the log file could not be written due to lack of authorization. The location of this file was changed to /var/log/ncp/ncptrace.log in this release.

New feature: "Only allow certificate-based authentication."

The new option "Only certificate-based authentication allowed " is located under "Certificate check" in the domain groups configuration.

This option requires at least certificate-based authentication when establishing a connection. Any other authentication via IKEv1 or IKEv2 will be rejected.

9. Known Issues

Configuration Transfer when Updating from Old Product Versions

The direct update of an old NCP Secure Enterprise VPN Server installation with version 7.x or older is not supported. In this case, an update to version 11 of the NCP Secure Enterprise VPN Server must be performed beforehand.

Web Interface and Microsoft Edge

When using the Microsoft Edge web browser, at least EdgeHTML 18.17763 is required.

^{for Linux} Release Notes





Major release:12.10 r44217Date:June 2019

Prerequisites

Linux Distributions:

The following Linux distributions are supported with this release:

- Debian GNU/Linux 9.9
- Red Hat Enterprise Linux Release 7.5 & 8.0

Update Prerequisites

Please read the instructions for updates of previous versions in the manual carefully.

The following versions are required for the use of other NCP components

- Secure Enterprise Management Server version 5.20 or higher
- Management Console version 5.20 or higher
- Management Plug-in Server Configuration Version 12.10 or higher
- Management Plug-in License Management Version 11.30
- Secure Enterprise HA Server version 12.10 or higher

1. New Features and Enhancements

IPv4 / IPv6 Dual Stack Support

Both the IPv4 and IPv6 protocols are supported within the VPN tunnel.

Web Interface Notifications

Important information is highlighted in the web interface.

EAP Pass-Through

If a VPN client uses the EAP protocol to authenticate the user, this EAP data can be forwarded to another authentication service such as Microsoft Active Directory or FreeRADIUS.

VRRP Configuration

The VRRP configuration can now be done in the web interface as an alternative to vrrp-setup.

Connection to the NCP Secure Enterprise Management Server

From this version, the connection to the NCP Secure Enterprise Management Server can also be made via the web interface.

^{for Linux} Release Notes





Policy Lifetime Configuration

Within a link profile it is now possible to configure the validity period of IPsec or IKE policies for outgoing connections.

Configuration of the VPN Interface IP Address

The configuration of the VPN interface IP address is done from this version via the web interface. The configuration program ses-config has been removed.

10. Improvements / Problems Resolved

Removal of Product-specific Users in the Operating 'System After Deinstallation

In older server versions the user ncp or ncpweb remained in the operating system after uninstalling them. This issue has been resolved.

Creating a Configuration Backup

The creation of configuration backups failed. This issue has been resolved.

Version Output via Command Line

The --version parameter was used to query the version of the product via the command line commands ses-control and ses-sentinel. Starting with this version, this is done via the ses-license command line.

Communication Despite Blocking Filter Rules

Under certain circumstances some filter rules were not active. This issue has been resolved.

Troubleshooting within IKEv2 and RFC7427 Implementation

Automatic Deletion of Core Dumps

To prevent the space required on the storage medium by core dumps from becoming too large, core dumps are deleted from 20 or a maximum age of 30 days when a new core dump is created. Core dumps are also stored in compressed form.

Enhancement of System Information in Crash Reports

A list of installed packages has been added to the system information within the crash reports.

Improved Compatibility with Third-party Authentication Solutions

The content of the suffix field within the domain group configuration can be sent as a RADIUS NAS identifier to third-party authentication solutions.

for Linux Release Notes





11. Known Issues

Error in Update Process

An existing global.conf file is not adapted during the update process from a previous version. The settings for "Privilege separation" and "Delete core dumps" are not set correctly. To fix the problem, type

sudo cp /opt/ncp/ses/etc/global.{sam, conf} on the command line.

Configuration Transfer when Updating from Old Product Versions

The direct update of an old NCP Secure Enterprise VPN Server installation with version 7.x or older is not supported. In this case, an update to version 11 of the NCP Secure Enterprise VPN Server must be performed beforehand.

Removal of Configuration Parameters

The following parameters have been removed from the configuration: In "Local System"

- ISDN
- xDSL PPP over Ethernet,
- RADIUS configuration for outgoing connections
- LDAP configuration for outgoing connections
- Endpoint policies download from management server
- All parameters in the Modem tab
- All parameters in the DynDNS tab

In "Link Profile"

- Connection types: ISDN, PPPoE, Modem
- Phone number destination
- Compression (L2TP):
- Security mode
- Encryption type (L2Sec):
- Dynamic key exchange:
- Identity protection
- Pre-shared key:
- "Tunnel Secret" renamed to "Tunnel Secret (L2TP)"

In "Domain Groups

• Domain search order

The configuration of the SSL VPN functionality is currently still available, but will no longer be supported

^{for Linux} Release Notes





and removed in future releases.

Web Interface and Microsoft Edge

When using the Microsoft Edge web browser, at least EdgeHTML 18.17763 is required.

12. Getting Help for the NCP Secure Enterprise VPN Server

To ensure that you always have the latest information about NCP's products, always check the NCP website at:

https://www.ncp-e.com/en/products/centrally-managed-vpn-solution/gateway/

2. Features of the NCP Secure Enterprise VPN Server

Release Notes





IPsec VPN – general	
Operating Systems	Windows Server 2019, Windows Server 2016, Windows Server 2012 R2 Debian, Red Hat or other Linux distributions with kernel version from 3.10, glibc from 2.17
Management	Administrators can configure and manage NCP Virtual Secure Enterprise Server via the NCP Secure Enterprise Management Plug-in or the web interface
Network Access Control (Endpoint Security)	 Endpoint policy enforcement for incoming data connections. Verification of predefined, security-relevant client parameters. Measures in the event of target/actual deviations in Disconnect or continue in the quarantine zone with instructions for action (message box) or start of external applications (e.g. virus scanner update), recording events in log files. (Please refer to the Secure Enterprise Management data sheet for more information)
Dynamic DNS (DynDNS)	Connection set up via Internet with dynamic IP addresses. Registration of each current IP address with an external Dynamic DNS provider. In this case the VPN tunnel is established via name assignment. (The VPN client must support DNS resolution, this is supported by NCP Secure Clients.)
DDNS	Connected VPN clients are registered with the domain name server via Dynamic DNS (DDNS), meaning that VPN clients with dynamic IPs can be reached via a (permanent) name
Network Protocols	IP, VLAN support
Multi-Tenancy	 Group capability; support of max. 256 domain groups (i.e. configuration of: authentication, forwarding, filter groups, IP pools, bandwidth limitation) Alternative default certificates can be configured for other domain groups. The Virtual Secure Enterprise VPN Server can select the most suitable certificate based on the client request (for example the certificate with the longest validity period).
User Administration	Local user administration (up to 750 users); OTP server; RADIUS; LDAP, Novell NDS, MS Active Directory Services
Statistics and Logging	Detailed statistics, logging functionality, sending SYSLOG messages
FIPS Inside	 The IPsec client integrates cryptographic algorithms based on the FIPS standard. The embedded cryptographic module containing the corresponding algorithms has been validated as conformant to FIPS 140-2 (Certificate #1747) FIPS conformance will always be maintained when the following algorithms are used for set up and encryption of a VPN connection: Diffie Hellman-Group: Group 2 or higher (DH starting from a length of 1024 bits) Hash Algorithms: SHA1, SHA 256, SHA 384 or SHA 512 bits Encryption algorithms: AES with 128, 192 and 256 bits or Triple DES

for Linux Release Notes





IF-MAP	The overall aim of the ESUKOM Project is the design and development of a real time security solution for company networks which works on the basis of consolidating metadata. The project focuses on threats arising from mobile end devices, such as smartphones. ESUKOM focuses on the integration of existing security solutions (commercial and open source) which are based on a consistent meta data format according to IF-MAP specifications of the Trustec Computing Group (TCG). The IF-MAP server of the Hannover University of Applied Science and Arts can currently be used for free-of-charge testing. The URL is: http://trust.f4.hs-hannover.de/
Client/User Authentication Processes	OTP token, certificates (X.509 v.3): User and hardware certificates (IPsec), user name and password (XAUTH)
Certificates (X.509 v.3)	
Server Certificates	It is possible to use certificates which are provided via the following interfaces: PKCS#11 interface for encryption tokens (USB and smart cards); PKCS#12 interface for private keys in soft certificates
Revocation Lists	Revocation: EPRL (End-entity Public-key Certificate Revocation List, formerly CRL), CARL (Certification Authority Revocation List, formerly ARL)
Online Check	Automatic downloads of revocation lists from the CA at predefined intervals; Online validation of certificates via OCSP or OCSP over http
Connection Management	
Line Management	Dead Peer Detection (DPD) with configurable time interval; Timeout (controlled by duration and charges)
Point-to-Point Protocols	LCP, IPCP, MLP, CCP, PAP, CHAP, ECP
Pool Address Management	Reservation of an IP address from a pool for a defined period of time (lease time)
IPsec VPN	
Virtual Private Networking	IPsec (Layer 3 tunneling), RFC-conformant; Automatic adjustment of MTU size, fragmentation and reassembly; DPD; NAT Traversal (NAT-T); IPsec modes: Tunnel Mode, Transport Mode Seamless Rekeying; PFS
Internet Society RFCs and Drafts	RFC 2401–2409 (IPsec), RFC 3947 (NAT-T negotiations), RFC 3948 (UDP encapsulation), IP Security Architecture, ESP, ISAKMP/Oakley, IKE, IKEv2 (incl. MOBIKE), IKEv2 Signature Authentication, XAUTH, IKECFG, DPD, NAT Traversal (NAT-T), UDP encapsulation, IPCOMP, IKEv2 authentication conformant to RFC 7427 (padding process)

for Linux Release Notes





Encryption	Symmetric processes: AES (CBC/CTR/GCM) 128, 192, 256 bits;
	Blowfish 128, 448 bits; Triple-DES 112, 168 bits;
	Dynamic processes for key exchange: RSA to 4096 bits;
	Diffie-Hellman Groups 1, 2, 5, 14-21, 25-30;
	Hash algorithms: SHA-1, SHA 256, SHA 384 or SHA 512
Firewall	Stateful packet inspection;
	IP-NAT (Network Address Translation);
	Port filtering; LAN adapter protection
VPN Path Finder	NCP Path Finder Technology: Fallback to HTTPS from IPsec (port 443) if neither port 500 nor UDP encapsulation are available
Seamless Roaming	With Seamless Roaming in the NCP Secure Client, the system can automatically transfer the VPN tunnel to a different communication medium (LAN / Wi-Fi / 3G / 4G) without changing the IP address to avoid interrupting communication via the VPN tunnel or disconnecting application sessions.
Authentication Processes	IKEv1 (Aggressive and Main Mode), Quick Mode; XAUTH for extended user authentication;
	IKEv2, EAP-PAP / MD5 / MS-CHAP v2 / TLS
	Support for certificates in a PKI: Soft certificates, certificates with ECC technology; Pre-shared keys;
	One-time passwords and challenge response systems; RSA SecurID ready
IP Address Allocation	DHCP (Dynamic Host Control Protocol) over IPsec;
	DNS: Selection of the central gateway with dynamic public IP address by querying the IP
	address via a DNS server;
	IKE config mode for dynamic assignment of a virtual address to clients from the internal
	address range (private IP)
	Different pool can be assigned depending on the connection medium. (Client VPN IP)
Data Compression	IPCOMP (Izs), Deflate





Recommended VPN Clients / Compatibility NCP Secure Entry Clients NCP Secure Enterprise Clients

Windows 32/64, macOS, Android Windows 32/64, macOS, iOS, Android, Linux

